



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,107	09/12/2003	Harry Bims	1875.7300003	6489
26111	7590	03/18/2008		
STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.			EXAMINER	
1100 NEW YORK AVENUE, N.W.			AJAYI, JOEL	
WASHINGTON, DC 20005			ART UNIT	PAPER NUMBER
			2617	
			MAIL DATE	DELIVERY MODE
			03/18/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/661,107	Applicant(s) BIMS, HARRY
	Examiner JOEL AJAYI	Art Unit 2617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If no period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 09 January 2008.

2a) This action is FINAL. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1,2,4-17,19-21,23-31 and 33-35 is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 1,2,4-17,19-21,23-31 and 33-35 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-892)
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
 3) Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____

4) Interview Summary (PTO-413)
Paper No(s)/Mail Date _____

5) Notice of Informal Patent Application
 6) Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on January 9, 2008 has been entered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1, 2, 7, 8, 14, 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Hougyy et al. (U.S. Patent Number: 5,838,226)** in view of **Cohn et al. (U.S. Patent Number: 4,363,129)**.

Consider **claim 1**; Hougyy discloses a method comprising: configuring a plurality of repeaters to coordinate transmissions of data packets and thereby function as an access with respect to first and second devices that are wirelessly communicatively coupled to the plurality of repeaters; determining within the plurality of repeaters whether wirelessly transmitting first and second packets to the first and second devices respectively will create interference between the first and second packets; and wirelessly transmitting the first and second packets to the first and second mobile stations respectively at different times (defined/different time slots) when it is determined that transmitting the first and second packets will create interference (column 2, line 63 - column 3, line 9).

Hougyy fails to disclose a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets.

In the same field of endeavor Cohn discloses a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets (column 1, lines 30-34).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Cohn into the method of Hougyy in order to use same frequency repeaters.

Consider **claim 33**; Hougyy discloses an apparatus comprising:

Means for configuring a plurality of repeaters to coordinate transmissions of data packets and thereby function as an access point with respect to first and second devices that are wirelessly communicatively coupled to the plurality of repeaters; means for determining within the plurality of repeaters whether wirelessly transmitting first and second packets to the first and second devices respectively will create interference between the first and second packets; and means for wirelessly transmitting the first and second packets to the first and second mobile stations respectively at different times (defined/different time slots) when it is determined that transmitting the first and second packets will create interference (column 2, line 63 - column 3, line 9).

Hougyy fails to disclose a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets.

In the same field of endeavor Cohn discloses a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets (column 1, lines 30-34).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Cohn into the method of Hougyy in order to use same frequency repeaters.

Consider **claim 2**; Cohn discloses operating the plurality of repeaters as a communication channel with a wireless communication protocol (column 1, lines 30-37).

Consider **claim 7**; Houggy discloses coordinately scheduling at the plurality of repeaters transmissions of the first packet and the second packet to avoid interference that would prevent one or both of the transmissions from being received by the first and second devices (column 2, line 63 - column 3, line 9).

Consider **claim 8**; Houggy discloses determining whether the first and second packets are to be transmitted substantially simultaneously to the first and second mobile stations; and transmitting the first and second packets to the first and second mobile stations at different time slots to avoid the interference, if the first and second packets are selected for substantially simultaneously transmission (column 2, line 63 - column 3, line 9).

Consider **claim 14**; Houggy discloses performing address translation on the first and second packets to determine respective Ethernet MAC addresses based on respective destination IP addresses of the first and second packets (this takes place within the network); identifying which of the plurality of repeaters is closest to the first and second mobile stations having the respective Ethernet MAC address; determining whether interference will occur between the transmission that would prevent completion of the transmissions; and scheduling the transmissions of the first and second packets to avoid the interference if interference would occur between the transmissions (column 2, line 63 - column 3, line 9; column 9, lines 37-46; column 30, lines 27-43).

Claims 4-6, 15-17, 19-21, 23-31, 34, 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Houggy et al. (U.S. Patent Number: 5,838,226)** in view of **Cohn et al. (U.S.**

Patent Number: 4,363,129), and further in view of Gulliford et al. (U.S. Patent Number: 5,384,776).

Consider **claim 15**; Houggy discloses a method comprising:

receiving first and second data packets designated for transmission to a first device and a second device respectively via a plurality of repeaters transmitting on a substantially identical communication frequency; detecting whether overlapping transmissions of the first and second packets will result in interference that would prevent completion of the transmissions; and scheduling transmissions (defined/different time slots) of the first and second packets via the plurality of repeaters to avoid the interference if it is determined that overlapping transmissions of the first and second packets will result in interference that would prevent completion of the transmission (column 2, line 63 - column 3, line 9).

Houggy fails to disclose a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets.

In the same field of endeavor Cohn discloses a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets (column 1, lines 30-34).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Cohn into the method of Houggy in order to use same frequency repeaters.

Houggy and Cohn fail to disclose a switch for receiving packets for transmission to mobile stations.

In the same field of endeavor Gulliford discloses a switch for receiving packets for transmission to mobile stations (column 8, lines 8-25).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Gulliford into the method of Houggy and Cohn in order to provide a switch that routes commands and signals between RF transmitter sites of a multi-site radio repeater system.

Consider **claim 20**; Houggy discloses a method comprising:

Receiving, at a switch, a packet destined to a device; determining, whether immediately transmitting the packet to the device will cause an interference with other communications destined to the mobile station; and transmitting the packet to a communication device, wherein the packet is forwarded wirelessly to the mobile station when it is determined that transmitting the packet will not cause interference (defined/different time slots); wherein the communication device and other communication devices coordinate transmissions of data packets, thereby functioning as an access point with respect to the device (column 2, line 63 - column 3, line 9).

Houggy fails to disclose a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets.

In the same field of endeavor Cohn discloses a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets (column 1, lines 30-34).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Cohn into the method of Houggy in order to use same frequency repeaters.

Houggy and Cohn fail to disclose a switch for receiving packets for transmission to mobile stations.

In the same field of endeavor Gulliford discloses a switch for receiving packets for transmission to mobile stations (column 8, lines 8-25).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Gulliford into the method of Hougy and Cohn in order to provide a switch that routes commands and signals between RF transmitter sites of a multi-site radio repeater system.

Consider **claim 29**; Hougy discloses a system comprising:

A plurality of communication devices (repeaters) communicating wirelessly with one or more devices, wherein the plurality of communication devices coordinate transmissions of data packet to function as an access point with respect to the one or more mobile stations, the coordinating including determining whether immediately transmitting the packets to the one or more devices via the plurality of communication devise will cause an interference with other communications to the one or more mobile stations (defined/different time slots) (column 2, line 63 - column 3, line 9).

Hougy fails to disclose a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets.

In the same field of endeavor Cohn discloses a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets (column 1, lines 30-34).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Cohn into the method of Hougy in order to use same frequency repeaters.

Hougg and Cohn fail to disclose a switch for receiving packets for transmission to mobile stations.

In the same field of endeavor Gulliford discloses a switch for receiving packets for transmission to mobile stations (column 8, lines 8-25).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Gulliford into the method of Hougg and Cohn in order to provide a switch that routes commands and signals between RF transmitter sites of a multi-site radio repeater system.

Consider **claim 34**; Hougg discloses a method comprising:

Means for receiving first and second data packets designated for transmission to a first device and a second device respectively via a plurality of repeaters transmitting on a substantially identical communication frequency; means for detecting whether overlapping transmissions of the first and second packets will result in interference that would prevent completion of the transmissions; and means for scheduling transmissions (defined/different time slots) of the first and second packets via the plurality of repeaters to avoid the interference if it is determined that overlapping transmissions of the first and second packets will result in interference that would prevent completion of the transmission (column 2, line 63 - column 3, line 9).

Hougg fails to disclose a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets.

In the same field of endeavor Cohn discloses a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets (column 1, lines 30-34).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Cohn into the method of Hougg in order to use same frequency repeaters.

Hougg and Cohn fail to disclose a switch for receiving packets for transmission to mobile stations.

In the same field of endeavor Gulliford discloses a switch for receiving packets for transmission to mobile stations (column 8, lines 8-25).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Gulliford into the method of Hougg and Cohn in order to provide a switch that routes commands and signals between RF transmitter sites of a multi-site radio repeater system.

Consider **claim 35**; Hougg discloses a method comprising:

Means for receiving, at a switch, a packet destined to a device; means for determining, whether immediately transmitting the packet to the device will cause an interference with other communications destined to the mobile station; and means for transmitting the packet to a communication device, wherein the packet is forwarded wirelessly to the mobile station when it is determined that transmitting the packet will not cause interference (defined/different time slots); wherein the communication device and other communication devices coordinate transmissions of data packets, thereby functioning as an access point with respect to the device (column 2, line 63 - column 3, line 9).

Hougg fails to disclose a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets.

In the same field of endeavor Cohn discloses a plurality of repeaters operating at an identical operating frequency; and mobile stations to receive the packets (column 1, lines 30-34).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Cohn into the method of Houggly in order to use same frequency repeaters.

Houggly and Cohn fail to disclose a switch for receiving packets for transmission to mobile stations.

In the same field of endeavor Gulliford discloses a switch for receiving packets for transmission to mobile stations (column 8, lines 8-25).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Gulliford into the method of Houggly and Cohn in order to provide a switch that routes commands and signals between RF transmitter sites of a multi-site radio repeater system.

Consider **claim 4**; Houggly and Cohn disclose transmissions of the first packet and the second packet to avoid interference that would prevent one or both of the transmissions from being received by the first and second mobile stations (Houggly, column 2, line 63 - column 3, line 9).

Houggly and Cohn fail to disclose scheduling at a switch coupled to the plurality of repeaters.

In the same field of endeavor Gulliford discloses scheduling at a switch coupled to the plurality of repeaters (column 8, lines 8-25).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Gulliford into the method of Hougyy and Cohn in order to provide a switch that routes commands and signals between RF transmitter sites of a multi-site radio repeater system.

Consider **claims 5, 16, 25**; Hougyy discloses detecting whether concurrent transmission of the first and second packets will cause interference prior to performing the scheduling; and transmitting the first and second packets to the first and second mobile stations without performing the scheduling, if (the if statement creates several possibilities) overlapping transmissions of the first and second packets will not cause interference (column 2, line 63 - column 3, line 9).

Consider **claim 6**; Hougyy discloses that if substantially concurrent transmission of the first and second packets cause interference, the method further comprises transmitting the first and second packets to the first and second devices respectively according to the schedule (column 2, line 63 - column 3, line 9).

Consider **claims 17, 21, 31**; Cohn discloses operating the plurality of repeaters as a communication channel with a wireless communication protocol (column 1, lines 30-37).

Consider **claims 19, 27**; Hougyy discloses performing address translation on the first and second packets to determine respective Ethernet MAC addresses based on respective destination IP addresses (this takes place within the network); identifying which of the plurality of repeaters is closest to the first and second mobile stations having the respective Ethernet Mac address; determining whether there is an interference between overlapping wireless communications of the identified repeater and other repeaters in the plurality of repeaters; and performing the

scheduling if there is an interference (column 2, line 63 - column 3, line 9; column 9, lines 37-46; column 30, lines 27-43).

Consider **claim 23**; Houggy discloses delaying the transmission of the packets to the mobile station if it is determined that an interference would occur (column 2, line 63 - column 3, line 9).

Consider **claim 24**; Houggy discloses scheduling the transmission of the packet at an alternative time slot where no other communications destined to the mobile station are occurring if it is determined that no interference would otherwise occur (column 2, line 63 - column 3, line 9).

Consider **claim 26**; Cohn discloses determining a communication device closest to the mobile station; and scheduling based in part on a location of the closest communication device, the transmission of the packet to the mobile station such that there are no other communications occurring to the mobile station (column 1, lines 30-41).

Consider **claim 28**; Houggy and Gulliford disclose that the address translation is performed via a table (column 2, line 63 - column 3, line 9; column 9, lines 37-46; column 30, lines 27-43), stored within the switch (column 8, lines 8-25).

Consider **claim 30**; Gulliford discloses that the switch manages communications between the plurality of communication devices and the one or more mobile stations (column 8, lines 8-25).

Claims 9-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Houggly et al. (U.S. Patent Number: 5,838,226)** in view of **Cohn et al. (U.S. Patent Number: 4,363,129)**, and further in view of **Shanley (U.S. Patent Number: 5,093,927)**.

Consider **claims 9-11**; Houggly and Cohn fail to disclose maintaining in a database, information regarding whether communications of one of the plurality of repeaters will interfere with another of the plurality of repeaters.

In the same field of endeavor Shanley discloses maintaining in a database, information regarding whether communications of one of the plurality of repeaters will interfere with another of the plurality of repeaters (column 3, lines 38-63).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Shanley into the method of Houggly and Cohn in order to monitor record interference of the communication resources.

Consider **claims 12 and 13**; Houggly and Cohn disclose mobile stations and a corresponding plurality of repeaters that last received transmissions from the mobile stations (Houggly, column 2, line 63 - column 3, line 9; Cohn, column 1, lines 30-34).

Houggly and Cohn fail to disclose a second database.

In the same field of endeavor Shanley discloses a second database (mass storage) (column 3, lines 38-63).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Shanley into the method of Houggly and Cohn in order to monitor record interference of the communication resources.

Conclusion

Any response to this Office Action should be **faxed to (571) 273-8300 or mailed to:**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Hand-delivered responses should be brought to

Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Joel Ajayi whose telephone number is (571) 270-1091. The Examiner can normally be reached on Monday-Friday from 7:30am to 5:00pm.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Nick Corsaro can be reached on (571) 272-7876. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 703-305-3028.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

Joel Ajayi

*/Nick Corsaro/
Supervisory Patent Examiner, Art Unit 4181*